Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	28	BIOS with config$8 with (option adj2 ROM$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
L2	1254	713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
L3	789	710/104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
L4	22	(RBSU or (ROM near2 setup near2 (utilit$2 or code or program$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
L5	11	((system adj2 ROM) or BIOS) same ((user$2 or operator$2) with (select$3 or access$3) with (option near3 ROM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
L6	408	BIOS same (execut$3 or access$3) same ((device$2 or peripheral$2) near3 ROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
L7	309	(BIOS same (execut$3 or access$3) same ((device$2 or peripheral$2) near3 ROM)) and g06f$.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
L8	7	(RBSU or (ROM near2 base$2 near2 system$2 near2 utilit$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
L9	281	option adj ROM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15

L10	238	(option adj ROM) and ((system$2 adj ROM) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
L11	193	(option adj ROM) same ((system$2 adj ROM) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
L12	1	((system adj2 ROM) or BIOS) same (select$3 or access$3) same (option near3 ROM) same (config$9 adj2 table$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
L13	62	713/2.ccls. and 710/104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
L14	35	((system adj2 ROM) or BIOS) same (select$3 or access$3) same (option near3 ROM) and 713/2. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:16
L15	8	((system adj2 ROM) or BIOS) same (select$3 or access$3) same (option near3 ROM) and 710/104. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:16
L16	309	(BIOS same (execut$3 or access$3) same ((device$2 or peripheral$2) near3 ROM)) and g06f$.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:16
L17	16	BIOS same (execut$3 or access$3) same ((device$2 or peripheral$2) near3 ROM) same (signature$2 or identif$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:16
L18	18	(option adj ROM) and ((system$2 adj ROM) or BIOS) same table$2 same config$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:16
L19	22	(RBSU or (ROM near2 setup near2 (utilit$2 or code or program$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:16

L20	55	((system$2 adj2 (code$2 or ROM)) or BIOS) with execut$4 with (option adj2 (code$3 or ROM$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:16
S1	4	(RBSU or (ROM near2 base$2 near2 system$2 near2 utilit$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
S2	49198	(execut$3 or access$3) same (device$2 or peripheral$2) same ROM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 15:09
S3	266	BIOS same (execut$3 or access$3) same ((device$2 or peripheral$2) near3 ROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
S4	211	(BIOS same (execut$3 or access$3) same ((device$2 or peripheral$2) near3 ROM)) and g06f$.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
S5	288	option adj2 ROM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 15:26
S6	185	option adj ROM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
S7	145	(option adj ROM) and ((system$2 adj ROM) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
S8	114	(option adj ROM) same ((system$2 adj ROM) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
S9	58	((system adj2 ROM) or BIOS) same (select$3 or access$3) same (option near3 ROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 22:38
S10	0	"20030074491".URPN.	USPAT	OR	ON	2004/02/03 20:50

S11	9	((system adj2 ROM) or BIOS) same ((user$2 or operator$2) with (select$3 or access$3) with (option near3 ROM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
S12	0	"2001097361".URPN.	USPAT	OR	ON	2004/02/03 21:20
S13	6	((system adj2 ROM) or BIOS) same ((user$2 or operator$2) with (select$3 or access$3) with (device adj2 driver))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 21:21
S14	0	((system adj2 ROM) or BIOS) same (select$3 or access$3) same (option near3 ROM) same (config$6 adj2 table$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/04 14:39
S15	1	((system adj2 ROM) or BIOS) same (select$3 or access$3) same (option near3 ROM) same (config$9 adj2 table$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
S16	2	("6349347").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/04 16:26
S17	925	713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
S18	641	710/104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
S19	40	713/2.ccls. and 710/104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15
S20	24	((system adj2 ROM) or BIOS) same (select$3 or access$3) same (option near3 ROM) and 713/2. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:16

S21	5	((system adj2 ROM) or BIOS) same (select$3 or access$3) same (option near3 ROM) and 710/104. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:16
S22	1	((system adj2 ROM) or BIOS) same (select$3 or access$3) same (option near3 ROM) and (713/2. ccls. and 710/104.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 22:38
S23	2	("6317828").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 14:09
S24	4	(RBSU or (ROM near2 base$2 near2 system$2 near2 utilit$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 22:38
S25	322	BIOS same (execut$3 or access$3) same ((device$2 or peripheral$2) near3 ROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 22:38
S26	251	(BIOS same (execut$3 or access$3) same ((device$2 or peripheral$2) near3 ROM)) and g06f$.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:16
S27	174	(option adj ROM) and ((system$2 adj ROM) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 22:52
S28	71	((system adj2 ROM) or BIOS) same (select$3 or access$3) same (option near3 ROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 22:38
S29	10	((system adj2 ROM) or BIOS) same ((user$2 or operator$2) with (select$3 or access$3) with (option near3 ROM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 22:38
S30	4	((system adj2 ROM) or BIOS) same (select$3 or access$3) same (option near3 ROM) and (713/2. ccls. and 710/104.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 22:38

S31	18	(option adj ROM) same ((system$2 adj ROM) or BIOS) same table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 22:51
S32	25	(option adj ROM) same ((system$2 adj ROM) or BIOS) same (signature or identif$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 22:51
S33	25	(option adj ROM) same ((system$2 adj ROM) or BIOS) same (signature$2 or identif$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 22:51
S34	14	BIOS same (execut$3 or access$3) same ((device$2 or peripheral$2) near3 ROM) same (signature$2 or identif$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:16
S35	1	((system adj2 ROM) or BIOS) same ((user$2 or operator$2) with (select$3 or access$3) with (option near3 ROM)) same (signature$2 or identif$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 22:52
S36	59	(option adj ROM) and ((system$2 adj ROM) or BIOS) same (signature$2 or identif$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/08 22:52
S37	16	(option adj ROM) and ((system$2 adj ROM) or BIOS) same table$2 same config$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:16
S38	2	("6317828").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/18 10:35
S39	4	((config$8 or information$3) adj2 (table$2 or region$3)) with (option adj2 ROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 10:41
S40	4	((config$8 or information$3) adj2 (table$2 or region$3)) with (option adj2 ROM$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 10:41

S41	46	((system$2 adj2 (code$2 or ROM)) or BIOS) with execut$4 with (option adj2 (code$3 or ROM$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:16
S42	0	"20030074491".URPN.	USPAT	OR	ON	2004/10/18 10:43
S43	19	(RBSU or (ROM near2 setup near2 (utilit$2 or code or program$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:16
S44	441	BIOS with config$8 with (option ad2 ROM$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 11:27
S45	27	BIOS with config$8 with (option adj2 ROM$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:15